



AA'



BB'




Note:

1. N.G = Average Natural Grade
2. Office Use Buildings should be set back a minimum of 20' from the base of the transmission towers.
3. Elevations shown are based on Geodetic Vertical Datum of 1929 (NGVD 29).





Note:

1. N.G = Average Natural Grade
2. Office Use Buildings should be set back a minimum of 20' from the base of the transmission towers.
3. Elevations shown are based on Geodetic Vertical Datum of 1929 (NGVD 29).




Note:


1. Office Use Buildings should be set back a minimum of 20' from the base of the transmission towers.
2. Elevations shown are based on Geodetic Vertical Datum of 1929 (NGVD 29).



ZZ'



Zoom in West







Zoom in East

LEGEND

- OFFICE
- NON OFFICE - AMENITIES/MEETING ROOMS
- EXTERIOR ELEVATION SURFACES BEYOND



NOTES:
 1. ANG = AVERAGE NATURAL GRADE
 2. AVERAGE NATURAL GRADE ESTIMATED AT +7'-10"
 3. ELEVATIONS SHOWN ARE BASED ON GEODETIC VERTICAL DATUM OF 1929 (NGVD 29).




LEGEND

- OFFICE
- NON OFFICE - AMENITIES/MEETING ROOMS
- EXTERIOR ELEVATION SURFACES BEYOND

NOTES:
 1. ANG = AVERAGE NATURAL GRADE
 2. AVERAGE NATURAL GRADE ESTIMATED AT +7'-10"
 3. ELEVATIONS SHOWN ARE BASED ON GEODETIC VERTICAL DATUM OF 1929 (NGVD 29).



CROSS SECTION C
 SCALE: 1" = 25'-0"



CROSS SECTION D
 SCALE: 1" = 25'-0"

